

Vendor -Plant: 0100 -Plant: 100 Receiver -Plant: 100 Unloading Area: 14248  
 -No: 91001108 -No.: 14550700 -No.: 14550700 place of storage:  
 Firma SEISSENSCHMIDT GmbH GETRAG S.p.A. Consumption:  
 Daimlerstr. 11 Via dei Ciclamini, 4 Dispatch Type: Truck  
 D-58840 PLETTENBERG I-70025 MODUGNO Zona Industriale Forw. Agent Name: Schweitzer GmbH & Co.  
 VAF-No.: DE123840478 VAF-No.: IT04886850728 -Number: 16070077  
 Gross Weight: 12.680 KG

| ASN-No     | -Pos                              | Sup. Ref. No. Cust.               | Quant.         | DM               | V/g            | Name of delivery | Purch. Ord. Nr.                      |
|------------|-----------------------------------|-----------------------------------|----------------|------------------|----------------|------------------|--------------------------------------|
| -Date      | Suppl. Ref. No. Vend.             | Pack. Mat. -Quant.                | - Number Cust. | Add. Data Vendor | -Nummer Vendor | Consignment      |                                      |
| 80465931   | 000010                            | 2511108890                        | 3.840          | PC               | S              | SCHALTRAD 4.GANG | 550003916001                         |
| 12.03.2018 | 035310-900                        | CC: 180023710                     | 640 ✓          | PC               | S              |                  | nt. wt.: 5.337 KG, gr. wt.: 5.847 KG |
|            | CC: 180023703                     | CC: 180023700                     | 640 ✓          | PC               | S              |                  |                                      |
|            | CC: 180021007                     | CC: 180018500                     | 640 ✓          | PC               | S              |                  |                                      |
|            | CC: 180023714                     | CC: 180023714                     | 640 ✓          | PC               | S              |                  |                                      |
|            | CC: 6                             | CC: 6                             | DCT300         | PC               | S              | DCT300/P01850    |                                      |
|            | Cast-Number: 234341               | Cast-Number: 234341               |                |                  |                |                  |                                      |
|            | UC-Material: G038080010           | UC-Material: G038080010           |                |                  |                |                  |                                      |
|            | Text: Engineering Change Status A | Text: Engineering Change Status A |                |                  |                |                  |                                      |
|            | Text: Customer Change No.         | Text: Customer Change No.         |                |                  |                |                  |                                      |
|            | Text: Supplier Index -            | Text: Supplier Index -            |                |                  |                |                  |                                      |

COLATA

198768  
 5007989018  
 5007989018

|            |                                   |                                   |        |    |   |                |                                      |
|------------|-----------------------------------|-----------------------------------|--------|----|---|----------------|--------------------------------------|
| 80465933   | 000010                            | 2511108490                        | 3.180  | PC | S | ZAHNRAD 2.GANG | 550003916201                         |
| 12.03.2018 | 035309-900                        | CC: 180023799                     | 530 ✓  | PC | S |                | nt. wt.: 5.285 KG, gr. wt.: 5.796 KG |
|            | CC: 180023797                     | CC: 180023789                     | 530 ✓  | PC | S |                |                                      |
|            | CC: 180023785                     | CC: 180023785                     | 530 ✓  | PC | S |                |                                      |
|            | CC: 180023782                     | CC: 180023782                     | 530 ✓  | PC | S |                |                                      |
|            | CC: 180023780                     | CC: 180023780                     | 530 ✓  | PC | S |                |                                      |
|            | CC: 6                             | CC: 6                             | DCT300 | PC | S | DCT300/P01850  |                                      |
|            | Cast-Number: 234341               | Cast-Number: 234341               |        |    |   |                |                                      |
|            | UC-Material: G038080010           | UC-Material: G038080010           |        |    |   |                |                                      |
|            | Text: Engineering Change Status A | Text: Engineering Change Status A |        |    |   |                |                                      |
|            | Text: Customer Change No.         | Text: Customer Change No.         |        |    |   |                |                                      |
|            | Text: Supplier Index -            | Text: Supplier Index -            |        |    |   |                |                                      |

COLATA

|            |                     |                     |            |    |   |                   |                                    |
|------------|---------------------|---------------------|------------|----|---|-------------------|------------------------------------|
| 80467724   | 000010              | 2501422792          | 1.800      | PC | S | SCHALTRAD 6.GANG  | 550003288602                       |
| 12.03.2018 | 035148-900          | CC: 180023767       | 1.800      | PC | S |                   | nt. wt.: 993 KG, gr. wt.: 1.037 KG |
|            | CC: 1               | CC: 1               | TBA-520858 | PC | S | TBA-520858/P01720 |                                    |
|            | Cast-Number: 605776 | Cast-Number: 605776 |            |    |   |                   |                                    |

COLATA

5007989018

Rating Check:

Quant. Check:

Abnahmezeugnis 3.1 EN 10204 (Test certificate: / Certificat:)



SEISSENSCHMIDT GmbH, Postfach 1520, D-58815 Plettenberg

Company  
GETRAG S.p.A.  
Via dei Ciclamini, 4  
Zona Industriale  
I-70026 Modugno

Artikel SCHALTRAD 4-GANG  
(Part name: / Désignation pièce):

Kd.-Zg.-Nr. 251.1.1088.90  
(customer part number / No. du plan client)

Kd.-Auftr.-Nr. 30002076  
(order no. / No. De commande)

Schmelzen-Nr. 234341  
(heat number / No. de Coulee)

Werkstoff 20MNCRS5  
(steel grade / Qualité)

HBS-Teile.-Nr. 035310-900  
(HBS-Part number: / N° du plan HBS):

Änderungsindex A  
(draw. notific. index / Indice du plan)

Lieferschein-Nr. 80465931/000010  
(shipping advice no. / Bulletin de livraison)

Schmelzen-Knz.  
(heat code / Repère de Coulee)

Herstellprozess E/VAK. /CC  
(process flow / Procédés fabrication)

Auftrag 1009372  
(order no./ordre no.)

SAP UC-Material G038080010  
(SAP UC-material/SAP UC-material)

Lieferdatum 02/28/2018  
(shipping date / Date de livraison)

Stückzahl 3,840  
(quantity / Quantité)

Rohmat.-abm. 55 Rund  
(raw material dim. / Barre diamètre)

Gießformat 240X240  
(casting dim. / Dimension coulee)

Lieferzustand BG-Geglüht/+FP  
(delivery condition / Etat de livraison)

Stahlhersteller Georgsmarienhütte GmbH  
(steel mill / Aciérie)

Lieferspezifikation GCG\_805000\_02  
(technical specification / Spécification de livraison)

Schmelzanalyse (cast analysis / Analyse de coulée)

| %C     | %Si    | %Mn    | %P     | %S     | %Cr    | %Mo    | %Ni    | %Cu    | %Sn    | %Al    | %V     | %B     | %Ti    | %Nb    | %W     | %Co    | %Sb    | %As    | %Pb    | %Te    | %Ca    | %N     | ppm H  | ppm O  |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0.2100 | 0.1700 | 1.2400 | 0.0190 | 0.0250 | 1.1700 | 0.0600 | 0.1900 | 0.1700 | 0.0110 | 0.0340 | 0.0070 | 0.0005 | 0.0020 | 0.0080 | 0.0000 | 0.0000 | 0.0027 | 0.0060 | 0.0002 | 0.0000 | 0.0006 | 0.0130 | 2.5000 | 7.0000 |

Härtbarkeit (hardnability / valeurs de trempabilité)

| mm   | 1    | 1.5   | 2    | 3     | 4    | 5     | 6    | 7     | 8    | 9     | 10   | 11    | 13    | 15    | 20   | 25   | 30   | 35   | 40   | 45   | 50   |      |  |  |
|------|------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|-------|-------|------|------|------|------|------|------|------|------|--|--|
| HRC  | 0.00 | 46.30 | 0.00 | 45.50 | 0.00 | 44.40 | 0.00 | 41.80 | 0.00 | 38.60 | 0.00 | 36.40 | 34.80 | 33.90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |
| Fdyn | 0.00 | -     | 0.00 |       |      |       |      |       |      |       |      |       |       |       |      |      |      |      |      |      |      |      |  |  |

DI-Wert (DI value / diamètre idéal) 0.00

Metallographische Prüfungen (metallographical test / Examens métallographiques)

| Gefüge (part name / Désignation pièce)     | FERRIT-PERLIT | Randentkohlung (decarburation / Décarburation) | 0.000 |
|--|---------------|--|-------|
| Korngröße (grain size / grosseur de grain) | Prim. 6       | Sek. 8   | 9     |

Mechanische Eigenschaften (mechanical properties / propriétés mécaniques)

| RM (N/mm <sup>2</sup> ) | Rp0.2(N/mm <sup>2</sup> ) | A(%) | Z(%) |
|-------------------------|---------------------------|------|------|
| 0.00                    | 0.00                      | 0.00 | 0.00 |

Oberflächenhärte (surface hardness / dureté superficielle)

| Vorschrift (specification / Spécification) | 152.0 | 201.0 | HB |
|--|-------|-------|----|
| Ergebnis (result / Résultat)               | 167.0 | 197.0 | HB |

Kernhärte (core hardness / dureté centre)

| Vorschrift (specification / Spécification) | 0.00 | 0.00 |
|--|------|------|
| Ergebnis (result / Résultat)               | 0.00 | 0.00 |

Einsatzhärtungstiefe (case hardening depth / cémentation gravité)

| Vorschrift (specification / Spécification) | 0.00 | 0.00 |
|--|------|------|
| Ergebnis (result / Résultat)               | 0.00 | 0.00 |

Datum (date / Date)

03/12/2018

Maschinell

t, daher gültig ohne Unterschrift /

without signature / Délivré par ordinateur sa

Abnahmebeauftragter / Inspector

WT - i. V. Dillmann, Johannes

Page 1 of 1

|   |  |   |  |   |  |
|---|--|---|--|---|--|
| 1) Sender/vendor<br><b>SEISSENSCHMIDT GmbH</b><br>Daimlerstr. 11<br>58840 Plettenberg |  | 2) Vendor-no. <b>91001108</b>   |  | 3) Freight order number                           |  |
| VAT Id-No.: DE123840478<br>EKAER-Nr.:   |  | 5) Loading point <b>0100 / SEISSENSCHMIDT GmbH</b><br>LSF LC  |  | 4) Sender number at the forwarding agent          |  |
| 8) Shipment number <b>52806</b>   |  | 11) Recipient<br>Company<br><b>GETRAG S.p.A.</b><br>Via dei Ciclamini, 4<br>Zona Industriale<br>I-70026 MODUGNO |  | 6) Date <b>12.03.2018</b>                         |  |
| VAT Id-No.: IT04886850728   |  | 12) Customer Number <b>14550700</b>   |  | 7) Relation number                                |  |
| 14) Delivery / unloading point<br>100-14248<br>100-14248<br>100-14248                 |  | 15) Sender's comment for the forwarding agent   |  | 9) Forwarding agent                               |  |
| 18) Delivery note no.   |  | 19) Number  |  | 10) Forwarding <b>16070077</b>                    |  |
| 0080465931  |  | 6   |  | Firma   |  |
| 0080465933  |  | 6   |  | Schweitzer GmbH & Co.                             |  |
| 0080467724  |  | 1   |  | Internationale Spedition KG                       |  |
| Total   |  | 13  |  | Carl-Benz-Str. 23                                 |  |
|   |  |   |  | D-71634 LUDWIGSBURG                               |  |
|   |  |   |  | Telephone   |  |
|   |  |   |  | Fax   |  |
|   |  |   |  | 13) Cargo manifest/freight list                   |  |
|   |  |   |  | 16) Receipt date <b>12.03.2018</b>                |  |
|   |  |   |  | 17) Receipt time <b>19:46:00</b>                  |  |
| 20) Packaging   |  | 22) Contents  |  | 23) Tara weight in KG                             |  |
| DCT300  |  | SCHALTRAD 4.GANG  |  | 510   |  |
| DCT300  |  | ZAHNRAD 2.GANG  |  | 511   |  |
| TBA-520858  |  | SCHALTRAD 6.GANG  |  | 44  |  |
|   |  |   |  | 24) Gross weight in KG                            |  |
|   |  |   |  | 5.847   |  |
|   |  |   |  | 5.796   |  |
|   |  |   |  | 1.037   |  |
|   |  |   |  | 1.065 KG  |  |
|   |  |   |  | 12.680 KG   |  |
| 31) Del. term   |  | 32) Value of goods  |  | 33) kind of goods                                 |  |
| FCA Plettenberg   |  | 20.711,58 EUR   |  | A   |  |
| 34) Sender cash on delivery   |  | 35) Enclosures  |  | 36) Order number, customer                        |  |
|   |  |   |  | 38) Means of transport number                     |  |
|   |  |   |  | 39) Truck code <b>LB SC 1462</b>                  |  |
|   |  |   |  | 40) Shipping type <b>Truck</b>                    |  |
|   |  |   |  | 42) Acknowledgement of receipt from ship-to party |  |
| 43) Confirmation of receipt by the driver   |  | 44) The delivery contains   |  | Above delivery received completely and intact.    |  |
| Above delivery received completely, intact and stainless.                             |  | Euro skids  |  |   |  |
| Ich versichere die Ware ins Gemeinschaftsgebiet zu                                    |  | Euro wire pal conv  |  |   |  |
| verbringen.   |  | Of which were swapped   |  | 46) Für die Ablage                                |  |
| Date  |  | Truck signature   |  | Euro skids  |  |
| Name  |  | Signature   |  | Euro wire pal conv                                |  |
| Company stamp / signature   |  |   |  |   |  |
| 45) The general German carrier conditions apply (ADSp);                               |  | 44) The delivery contains   |  | 46) Für die Ablage                                |  |
| Area of jurisdiction is the company headquarters of the dispatch                      |  | Euro skids  |  |   |  |
|   |  | Euro wire pal conv  |  |   |  |

