



SIRT10011167281

Ersatzteil-Lieferschein Dispatch Note

SIRT10011167281

Datum / Date (dd.mm.yyyy) 25.10.2022

SIEMENS AG Logistic Center, Frauauracher Str. 80, D-91056 Erlangen
Siemens S.p.A.
DIVISION SDF CS RC
PO Box 17154
I-20170 MILANO


Bestellnummer / Order No.



Kundenauftrags-Nr. / Customer-Order-No.



Kundenauftrags-Nr. / Customer-Order-No. 4500640025		Org-ID Besteller Org-ID Orderer A1603042	Bestellnummer Order No. 4519552153
Ansprechpartner Besteller / Orderer Contact Person Siemens Ital / Simona. Grassi Tel: +390224324680 EMail:grassi.simona@siemens.com		Bz-Datum Order Date 27.09.2022	Org-ID Lieferer Supplier No. A4014414
Versandanschrift / Ship to address MAGNA PT SPA VIA DEI CICLAMINI 4 I-70026 MODUGNO BA		Versandart · Freivermerk · Verpackungsart · Route Mode of dispatch · Freight term · Packing · Route by truck Abholung Incoterms: DDP MODUGNO	
Ansprechpartner Lieferer / Supplier Contact Person DI MC MTS MF-GWE SR 3 Ersatzteilzentrum/Spare Part Center Tel: +49 09131/981234 EMail:ersatzteilzentrum.mc.aud@siemens.com		Colli: 1 ITML4 2106	
		Gesamtgewicht / Total Weight Netto/Net: 7,621 KGBrutto/Gross: 10,500 KG	
Pos / Item Bezeichnung der Lieferung/Leistung / Description of Delivery/Service S-Pos/Item		Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
<p>When opening the module / breaking the seal, this entails costs when returning the unit!</p> <p>Routing address Gebrueder Weiss GmbH Donaustr. 126 90451 Nuernberg</p> <p>Ordering customer: MAGNA PT SPA VIA DEI CICLAMINI 4 70026 MODUGNO ITALIEN</p> <p>Our VAT-ID : DE129274202</p> <p>MARKING</p>			



308649

MBIC 03 496553534

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	5180 SIEMENS S.P.A. ORGID: A1603042 PURCH. ORG.: 50A0 SIEMENS ITALIA SD I SAP PO: 4519552153		
1 (035000)	6FX2002-1DC00-1AB7 PLU-M03409 Cust. Part no.: 6FX2002-1DC00-1AB7 internal: 6FX2002-1DC00-1AB7  RKZ: G Signal cable pre-assembled type: 6FX2002-1DC00 (SINAMICS Drive CLiQ) Connector IP20/IP20, without 24 V Length (m)= 0 + 0 + 1 + 0,7 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP M-Item :  Cust. Part no.: 	1 PC	0,198
2 (036000)	6FX2002-1DC00-1AC0 PLU-M02976 Cust. Part no.: 6FX2002-1DC00-1AC0 internal: 6FX2002-1DC00-1AC0  RKZ: G Signal cable pre-assembled type: 6FX2002-1DC00 (SINAMICS Drive CLiQ) Connector IP20/IP20, without 24 V Length (m)= 0	1 PC	0,218

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
+ 0			
+ 2			
+ 0			
<p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p>			
M-Item :			
Cust. Part no.:			
5 (039000)	6FX8002-2CA31-1AE5 <i>PLU-M03416</i> Cust. Part no.: 6FX8002-2CA31-1AE5	1 PC	0,496
	internal: 6FX8002-2CA31-1AE5		
			
<p>RKZ: G Signal cable pre-assembled for incr. encoder with C/D tracks integrated into the motor 3x (2x0.14) C+4x 0.14+2x0.5 +4x 0.22 C Connector full thread M23 MOTION-CONNECT 800PLUS trailable UL/CSA DESINA Dmax=9.8 mm Length (m)= TYPE: 6FX8002-2CA31 LENGTH (M) = + 0 + 0 + 4 + 0,5</p>			
<p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p>			
M-Item :			

SIEMENS AG Logistic Center, Frauenauracher Str. 80, D-91056 Erlangen

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
7 (041000)	<p>Cust. Part no.: </p> <p>6FX8002-2CA31-1AJ5 <i>PLW-1103418</i></p> <p>Cust. Part no.: 6FX8002-2CA31-1AJ5</p> <p>internal: 6FX8002-2CA31-1AJ5</p> <p></p> <p>RKZ: G Signal cable pre-assembled for incr. encoder with C/D tracks integrated into the motor 3x (2x0.14) C+4x 0.14+2x0.5 +4x 0.22 C Connector full thread M23 MOTION-CONNECT 800PLUS trailable UL/CSA DESINA Dmax=9.8 mm Length (m)= TYPE: 6FX8002-2CA31 LENGTH (M) = + 0 + 0 + 8 + 0,5</p> <p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p> <p>M-Item: </p> <p>Cust. Part no.: </p>	1 PC	0,856
8 (042000)	<p>6FX8002-2CA34-1AC8 <i>PLW-1103419</i></p> <p>Cust. Part no.: 6FX8002-2CA34-1AC8</p> <p>internal: 6FX8002-2CA34-1AC8</p> <p></p> <p>RKZ: G Signal cable extension for base 2CA31-2CA80 or -2CA88 3x (2x0.14) C + 4x 0.14+2x0.5+4x 0.22 C Connector full thread M23 MOTION-CONNECT 800PLUS trailable UL/CSA DESINA</p>	1 PC	0,570

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	Dmax=9.8 mm Length (m)= TYPE: 6FX8002-2CA34 LENGTH (M) = 0 + 0 + 2 + 0,8 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP M-Item : 		
	Cust. Part no.: 		
11	6FX8002-2DC10-1AD1 <i>PLU-M03422</i> (045000) Cust. Part no.: 6FX8002-2DC10-1AD1	1 PC	0,240
	internal: 6FX8002-2DC10-1AD1 		
	 RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75 m length Dmax=7.1 mm Length (m)= 0 + 0 + 3 + 0,1 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP M-Item : 		

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	Cust. Part no.: 		
12 (046000)	6FX8002-2DC10-1AE1 <i>PLU-1103423</i> Cust. Part no.: 6FX8002-2DC10-1AE1	1 PC	0,308
	internal: 6FX8002-2DC10-1AE1 		
			
	RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75 m length Dmax=7.1 mm Length (m) = 0 + 0 + 4 + 0,1		
	HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		
	M-Item : 		
	Cust. Part no.: 		
13 (047000)	6FX8002-2DC10-1AE7 <i>PLU-1103424</i> Cust. Part no.: 6FX8002-2DC10-1AE7	1 PC	0,349
	internal: 6FX8002-2DC10-1AE7 		
			
	RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75		

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	<p>m length Dmax=7.1 mm Length (m)= 0 + 0 + 4 + 0,7</p> <p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p> <p>M-Item : </p> <p>Cust. Part no.: </p>		
14 (048000)	<p>6FX8002-2DC10-1AG8 <i>PL0-1103425</i> Cust. Part no.: 6FX8002-2DC10-1AG8</p> <p>internal: 6FX8002-2DC10-1AG8</p> <p></p> <p></p> <p>RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75 m length Dmax=7.1 mm Length (m)= 0 + 0 + 6 + 0,8</p> <p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p> <p>M-Item : </p>	1 PC	0,491

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	Cust. Part no.: 		
15 (049000)	6FX8002-2DC10-1AH2 <i>PLU-1103426</i> Cust. Part no.: 6FX8002-2DC10-1AH2	1 PC	0,519
	internal: 6FX8002-2DC10-1AH2 		
			
	RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75 m length Dmax=7.1 mm Length (m)= 0 + 0 + 7 + 0,2		
	HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		
	M-Item : 		
	Cust. Part no.: 		
16 (050000)	6FX8002-2DC10-1AH5 <i>PLU-1103427</i> Cust. Part no.: 6FX8002-2DC10-1AH5	1 PC	0,539
	internal: 6FX8002-2DC10-1AH5 		
			
	RKZ: G signal cable, pre-assembled type: 6FX8002-2DC10 DRIVE-CLiQ with 24 V Connector RJ45 IP20 on module side and IP67 on motor side MOTION-CONNECT 800PLUS released only up to 75 m length Dmax=7.1 mm Length		

SIEMENS AG Logistic Center, Frauenaucher Str. 80, D-91056 Erlangen

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	(m) = 0 + 0 + 7 + 0,5		
	HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		
	M-Item : 		
	Cust. Part no.: 		
17 (051000)	6FX8002-2DC20-1AC0 <i>PLU - 1103528</i> Cust. Part no.: 6FX8002-2DC20-1AC0	1 PC	0,178
	internal: 6FX8002-2DC20-1AC0 		
			
	RKZ: G Signal cable pre-assembled type: 6FX8002-2DC20 DRIVE-CLiQ with 24 V Connector RJ45 IP67 on both sides released only up to 75 m length Dmax=7.1 mm Length (m) = 0 + 0 + 2 + 0		
	HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		
	M-Item : 		
	Cust. Part no.: 		

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
18 (052000)	6FX8002-2DC20-1AC5 PLU-M03429 Cust. Part no.: 6FX8002-2DC20-1AC5 internal: 6FX8002-2DC20-1AC5  RKZ: G Signal cable pre-assembled type: 6FX8002-2DC20 DRIVE-CLiQ with 24 V Connector RJ45 IP67 on both sides released only up to 75 m length Dmax=7.1 mm Length (m) = 0 + 0 + 2 + 0,5 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP M-Item :  Cust. Part no.: 	1 PC	0,212
19 (053000)	6FX8002-2DC20-1AD6 PLU-M03430 Cust. Part no.: 6FX8002-2DC20-1AD6 internal: 6FX8002-2DC20-1AD6  RKZ: G Signal cable pre-assembled type: 6FX8002-2DC20 DRIVE-CLiQ with 24 V Connector RJ45 IP67 on both sides released only up to 75 m length Dmax=7.1 mm Length (m) = 0 + 0 + 3 + 0,6	1 PC	0,287

SIEMENS AG Logistic Center, Frauenaucher Str. 80, D-91056 Erlangen

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	<p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p>		
	M-Item : 		
	Cust. Part no.: 		
20 (054000)	<p>6FX8002-2DC20-1AG0 <i>PLU-M03431</i> Cust. Part no.: 6FX8002-2DC20-1AG0 internal: 6FX8002-2DC20-1AG0</p> 	1 PC	0,450
	<p>RKZ: G Signal cable pre-assembled type: 6FX8002-2DC20 DRIVE-CLiQ with 24 V Connector RJ45 IP67 on both sides released only up to 75 m length Dmax=7.1 mm Length (m)= 0 + 0 + 6 + 0</p>		
	<p>HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP</p>		
	M-Item : 		
	Cust. Part no.: 		
21 (055000)	<p>6FX8002-2DC20-1BC0 <i>PLU-M03432</i> Cust. Part no.: 6FX8002-2DC20-1BC0 internal: 6FX8002-2DC20-1BC0</p> 	1 PC	0,858

SIEMENS AG Logistic Center, Frauenausracher Str. 80, D-91056 Erlangen

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	RKZ: G Signal cable pre-assembled type: 6FX8002-2DC20 DRIVE-CLiQ with 24 V Connector RJ45 IP67 on both sides released only up to 75 m length Dmax=7.1 mm Length (m) = 0 + 10 + 2 + 0 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP M-Item :  Cust. Part no.: 		
22 (056000)	6FX8002-2DC30-1AF0 <i>PLU-MO 3433</i> Cust. Part no.: 6FX8002-2DC30-1AF0 internal: 6FX8002-2DC30-1AF0 	 1 PC	0,393
	RKZ: G DRIVE-CLiQ cable type: 6FX8002-2DC30 Pre-assembled for direct measuring systems with 24 V Connector RJ45, IP20 and Mating connector M12, IP67 MOTION-CONNECT 800PLUS trailable, UL/CSA, DESINA Dmax=7.1 mm Length (m)=5 HS Code: 85444290 AL: N ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		

Pos / Item S-Pos/item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
	M-Item : 		
	Cust. Part no.: 		
24 (058000)	6FX8002-2EQ14-1AC0 <i>PL0: M03435</i> Cust. Part no.: 6FX8002-2EQ14-1AC0	1 PC	0,459
	internal: 6FX8002-2EQ14-1AC0 		
			
	RKZ: G Signal cable extension for base 6FX8002-2EQ10-.... 3x (2x0.14) C+4x 0.14+2x0.5 +4x 0.22 C Connector full thread M23 MOTION-CONNECT 800PLUS trailable UL/CSA DESINA Dmax=9.8 mm Length (m)= TYPE: 6FX8002-2EQ14 LENGTH (M) = 0 + 0 + 2 + 0		
	HS Code: 85444290 AL: N . ECCN: N Country of origin: SK Slovakia PUL: -- PREF-Y: PREF-N: XK GB IS NO LI CH TR AL UA MD GE BA MK ME RS MA DZ TN EG MZ ZA NA BW SZ LS CA MX GT HN SV NI CR PA CO EC PE CL LB IL JO VN SG KR JP		
	M-Item : 		
	Cust. Part no.: 		
	Siemens shall not be obligated to fulfill this agreement if such fulfillment is prevented by any impediments arising out of national or international foreign trade or customs requirements or any embargoes or other sanctions.		
	These items are controlled by the U.S. Government (when labeled with #ECCN# unequal #N#) and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations. Items labeled with "AL# unequal "N# are subject to European / national export authorization. Items without label or with label "AL:N" / "ECCN:N" or label "AL:9X9999" / "ECCN: 9X9999" may require authorization from responsible authorities depending on the final end-use, or the destination.		
	Supplier's declaration for products having preferential origin status Regulation (EU) 2015/2447		

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
<p>DECLARATION</p> <p>I, the undersigned, declare that the goods listed on this document and marked with PREF-Y; and ISO alpha2 code 1) for each convention country originate in the country indicated in PUL and satisfy the rules of origin governing preferential trade with the countries specified in PREF-Y: 2).</p> <p>I declare that: No cumulation applied. 3)</p> <p>I undertake to make available to the customs authorities any further supporting documents they require.</p> <p>Erlangen, 25.10.2022, Siemens AG, DI MC, Frauenaucher Str.80, 91056 Erlangen i.V. Erdem Okuyucu Senior Customs Expert i.V. Guenter Friederich Senior Customs Expert</p> <p>This supplier's declaration was generated automatically and is valid without a signature. It has the same effect as with a handwritten signature.</p> <p>1) The country codes in PUL and PREF-Y: correspond to the "ISO alpha2" country codes (in accordance with international standard ISO 3166). In field "PUL" the following countries: AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK signify - European Community (CE) for Algeria, Chile, Israel, Jordan, Lebanon, Morocco, Mexico, Tunisia, Turkey - European Union (EU) for all other preferential agreement member states</p> <p>AL = Albania, BA = Bosnia and Herzegovina, CA = Canada, CH = Switzerland, CL = Chile, DZ = Algeria, EG = Egypt, GB = Great Britain, GE = Georgia, IL = Israel, IS = Iceland, JO = Jordan, JP = Japan, KR = South Korea, LB = Lebanon, LI = Liechtenstein, MA = Morocco, ME = Montenegro, MD = Moldova, MK = Macedonia, MX = Mexico, NO = Norway, RS = Serbia, SG = Singapore, TN = Tunisia, TR = Turkey, UA = Ukraine, VN = Vietnam, XK = Kosovo, AND (Andean Community): CO = Colombia, EC = Ecuador, PE = Peru, CAM (Central America): CR = Costa Rica, SV = El Salvador, GT = Guatemala, HN = Honduras, NI = Nicaragua, PA = Panama, SADC (Southern Africa): BW = Botswana, LS = Lesotho, MZ = Mozambique, NA = Namibia, SZ = Swaziland, ZA = South Africa</p> <p>2) Products with the identifier PREF-N: and ISO alpha2 country code are not preferential originating products vis-à-vis the particular countries specified. The product specific indicator "Country of Origin" or "LKZ" is the "non preferential country of origin" as described in Art. 59-63 UCC, Art. 31-36 DA, Art. 57-59 IA</p> <p>3) relates only to the EUR-MED countries: AL, BA, CH, DZ, EG, GE, IL, IS, JO, LI, MA, MD, ME, MK, NO, RS, TN, TR, XK</p> <p>V1.29</p> <p>WEEE-Reg.-Nr. DE 23691322</p> <p>EU Declaration of Conformity according to directives 2006/42/EC</p> <p>Product designations: SIMODRIVE, MASTERDRIVES, POSMO, SINAMICS, SINUMERIK, SIMOTION</p> <p>The supplied products that are subject of 2006/42/EC (safety products) fulfill the requirements of standard EN 61800-5-1 and EN61800-5-2.</p> <p>The safety-related components fulfill at least the requirements of category 3 according to ISO 13849. The products supplied are intended exclusively for installation in a machine.</p> <p>Commissioning is prohibited until it has been established that the end product conforms with directive 2006/42/EC information.</p> <p>All safety instructions in the associated product documentation must be observed and given to the end user for his/her information.</p> <p>sgd Mr. Heinzelmann DF MC QM sgd Mr. Dirk Vielsäcker DI MC TTI</p> <p>Packinglist</p>			

SIEMENS AG Logistic Center, Frauenaaracher Str. 80, D-91056 Erlangen

Pos / Item S-Pos/Item	Bezeichnung der Lieferung/Leistung / Description of Delivery/Service	Menge / Qty Einheit / Unit	Gewicht in KG Weight in KG
--------------------------	--	-------------------------------	-------------------------------

QTY	packing	L / D / H cm	gross-KG	net-kg	colli-nr
1	carton	40/ 40/ 40	10,500	7,621	001

Colli-Nr	Pos/Item	Menge/Quantity
----------	----------	----------------

001	035000	6FX2002-1DC00-1AB7 PLU-1103409 1 ST
	036000	6FX2002-1DC00-1AC0 PLU-1102976 1 ST
	039000	6FX8002-2CA31-1AE5 PLU-1103416 1 ST
	041000	6FX8002-2CA31-1AJ5 PLU-1103418 1 ST
	042000	6FX8002-2CA34-1AC8 PLU-1103419 1 ST
	045000	6FX8002-2DC10-1AD1 PLU-1103422 1 ST
	046000	6FX8002-2DC10-1AE1 PLU-1103423 1 ST
	047000	6FX8002-2DC10-1AE7 PLU-1103424 1 ST
	048000	6FX8002-2DC10-1AG8 PLU-1103425 1 ST
	049000	6FX8002-2DC10-1AH2 PLU-1103426 1 ST
	050000	6FX8002-2DC10-1AH5 PLU-1103427 1 ST
	051000	6FX8002-2DC20-1AC0 PLU-1103428 1 ST
	052000	6FX8002-2DC20-1AC5 PLU-1103429 1 ST
	053000	6FX8002-2DC20-1AD6 PLU-1103430 1 ST
	054000	6FX8002-2DC20-1AG0 PLU-1103431 1 ST
	055000	6FX8002-2DC20-1BC0 PLU-1103432 1 ST
	056000	6FX8002-2DC30-1AF0 PLU-1103433 1 ST
	058000	6FX8002-2EQ14-1AC0 PLU-1103435 1 ST

0011167281/0103079878

